



TL Mini 6W/33-640 FAM

Product family description
Low-pressure mercury discharge lamps
with a tubular 16 mm envelope

Product Features

- 16 mm diameter tubes with moderate colour rendering

Product Benefits

- Creates atmospheres from warm white to cool daylight


Application

- Ideal for applications where space is limited and colour rendering is not important
- Orientation lighting
- Emergency lighting


System

- Possibility for operation on low-voltage DC supply


Product data	
Order code	866745 27
Full product code	871150086674527
Full product name	TL Mini 6W/33-640 FAM
Order product name	TL Mini 6W/33-640 FAM/10X25BOX
Packing type	1 Foam
Pieces per pack	1
Packing configuration	10X25BOX
Packs per outerbox	250
Bar code on pack - EAN1	8711500866745
Bar code on intermediate packing - EAN2	8711500866769
Bar code on outerbox - EAN3	8711500866752
Logistic code(s) - 12NC	9279 735 03317
ILCOS code	FD-6/41/2B-E-G5
Net weight per piece	22.000 (GR)
Successor order code	
Rated Lamp Wattage[W]	6W
Colour Code	33-640
Cap-Base	G5
Bulb	T5[16mm]
Energy Efficiency Label (EEL)	B
Mercury (Hg) Content[mg]	5.0
Colour Rendering Index[Ra8]	60
Colour Designation (text)	Cool White
Colour Temperature[K]	4100
Lamp Luminous Flux EM[Lm]	260



TL Mini/33-640



TL Mini/33-640



TL Mini

	A		B		C	D
Full product name	Max	Min	Max	Max	Max	Max
TL Mini 6W/ 33-64 0 FAM	212.1	216.8	219.2	226.3	16	

