



## TL Mini 4W/33-640 FAM

Product family description  
Low-pressure mercury discharge lamps  
with a tubular 16 mm envelope

### Product Features

- 16 mm diameter tubes with moderate colour rendering

### Product Benefits

- Creates atmospheres from warm white to cool daylight


### Application

- Ideal for applications where space is limited and colour rendering is not important
- Orientation lighting
- Emergency lighting


### System

- Possibility for operation on low-voltage DC supply


| Product data                            |                                |
|-----------------------------------------|--------------------------------|
| Order code                              | 866714 27                      |
| Full product code                       | 871150086671427                |
| Full product name                       | TL Mini 4W/33-640 FAM          |
| Order product name                      | TL Mini 4W/33-640 FAM/10X25BOX |
| Packing type                            | 1 Foam                         |
| Pieces per pack                         | 1                              |
| Packing configuration                   | 10X25BOX                       |
| Packs per outerbox                      | 250                            |
| Bar code on pack - EAN1                 | 8711500866714                  |
| Bar code on intermediate packing - EAN2 | 8711500866738                  |
| Bar code on outerbox - EAN3             | 8711500866721                  |
| Logistic code(s) - 12NC                 | 9279 730 03317                 |
| ILCOS code                              | FD-6/29/3-E-G5                 |
| Net weight per piece                    | 12.000 (GR)                    |
| Successor order code                    |                                |
| Rated Lamp Wattage[W ]                  | 4W                             |
| Colour Code                             | 33-640                         |
| Cap-Base                                | G5                             |
| Bulb                                    | T5[16mm]                       |
| Energy Efficiency Label (EEL)           | B                              |
| Mercury (Hg) Content[mg ]               | 5.0                            |
| Colour Rendering Index[Ra8 ]            | 60                             |
| Colour Designation (text)               | Cool White                     |
| Colour Temperature[K ]                  | 4100                           |
| Lamp Luminous Flux EM[Lm ]              | 140                            |



TL Mini/33-640



TL Mini/33-640



TL Mini

|                                  | A     |       | B     |       | C   | D   |
|----------------------------------|-------|-------|-------|-------|-----|-----|
| Full product name                | Max   | Min   | Max   | Max   | Max | Max |
| TL Mini<br>4W/<br>33-64<br>0 FAM | 135.9 | 140.6 | 143.0 | 150.1 | 16  |     |

