

93638 150 W 21 V

Halogen lamps with reflector MR16

Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)

Technical data

Electrical data


Nominal voltage	21 V
Nominal wattage	150 W

Light technical data

Focal length	44.5 mm
--------------	---------

Dimensions & weight

Diameter	51.0 mm
Length	44.5 mm



Product line drawing with letters



Base



Base

Lifespan

Lifespan	200 h
----------	-------

Additional product data


Base (standard designation)	GX5.3
Coating	Dichroic

Capabilities

Cooling	Forced
Burning position	hs30

Country specific categorizations

ANSI code	EKE
Order reference	93638



Burning position



Burning position

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4050300456843	Folding carton box 1	50 mm x 46 mm x 60 mm	34.67 g	0.14 dm ³
4050300456850	Shipping carton box 24	155 mm x 137 mm x 200 mm	985.67 g	4.25 dm ³

References / Links

For further technical information please refer to the following OSRAM brochure:

“Technology and applications, Low-voltage tungsten-halogen lamps”

“Halogen lamps, low and medium voltage for entertainment, technical and medical applications” cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.